

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office JAN 19 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 24 1999 under 65639

The applicant **Ruby Lister**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **underground**
2. The amount of water applied for is **1.35 c.f.s.** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **irrigation**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **68.64 acres ***
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, T2N, R67E., MDB&M or from a point from which the NW corner of said Section 22 bears N 45° 02' 47" W a distance of 1911.88 feet. The same well as Application 65639**
6. Place of Use **SW $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 22, T2N, R67E., MDB&M; Lincoln County, Nevada, a total of 120 acres. We propose to irrigate approximately 68.64 acres of the 120 acres. The same place of use as application 65639 ***
7. Use will begin about **JAN 1** and end about **DEC 31** of each year.
8. Description of proposed works **a drilled well with pump size suited to support a pivot type sprinkler system.**
9. Estimated cost of works **\$30,000**
10. Estimated time required to construct works **3 yrs**
11. Estimated time required to complete the application of water to beneficial use **5 yrs**

12. Remarks: * The purpose of this application is to increase the diversion rate for efficient operation of the pivot and we do not request additional duty. Additional duty will be requested under separate application. This application is supplemental to 65639 *use map 65639

Ruby Lister
By s/Ruby Lister
PO Box 402
Pioche, NV 89043

Compared my/cmf ds/cmf

Protested 4-24-00 by U.S. National Park Service; Pro. Overruled 7-18-01

See Ruling #5045

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for diversion rate only. The total combined diversion rate and duty under Permit 65639, and Permit 65881 shall not exceed 2.25 cubic feet per second and 274.56 acre-feet annually, respectively, for the irrigation of 68.64 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.35 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 24, 2003

Proof of completion of work shall be filed before:

August 24, 2003

Water must be placed to beneficial use on or before:

July 24, 2005

Proof of the application of water to beneficial use shall be filed on or before:

August 24, 2005

Map in support of proof of beneficial use shall be filed on or before:

August 24, 2005

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 13th day of, September A.D. 2001

Christine Thiel
By: Christine Thiel, P.E. Deputy State Engineer

Completion of work filed NOV 08 2001

Proof of beneficial use filed APR 03 2003

Cultural map filed N/A APR 03 2003

Certificate No. 16452 Issued JAN 25 2005

